

Samsung Medison, an affiliate of Samsung Electronics, is a global medical company founded in 1985. With a mission to bring health and well-being to people's lives, the company manufactures diagnostic ultrasound systems around the world across various medical fields. Samsung Medison has commercialized the Live 3D technology in 2001 and since being part of Samsung Electronics in 2011, it is integrating IT, image processing, semiconductor and communication technologies into ultrasound devices for efficient and confident diagnosis.

CT-HS50 V1.0-OB-FT-160919-EN

\* S-Vue™ is not the name of a function, but stands for Samsung's advanced transducer technology.

\* S-Vision™ is not the name of a function, but stands for Samsung's ultrasound imaging technology.

\* Measure navigation is not the name of a function, but the name of a picture-in-picture window.

\* In Canada and USA, strain value for ElastoScan™ is not applied.

\* The availability of some products, features, options, and transducers mentioned in this catalog may vary from country to country, and is subject to varying regulatory requirements.

\* This product, features, options, and transducers are not commercially available in all countries. Due to regulatory reasons, their future availability cannot be guaranteed. Please contact your local sales representative for further details.

**SAMSUNG MEDISON CO., LTD.**

© 2016 Samsung Medison All Rights Reserved.  
Samsung Medison reserves the right to modify the design, packaging, specifications, and features shown herein, without prior notice or obligation.

# Simple yet powerful

## Ultrasound system HS50



# LAB Market

## لاب ماركت

- مستلزمات معملية
- كيمويات
- أجهزة
- صيانة

01096411333

# Efficient tools for professional OB/GYN exams

The versatile HS50 provides an **outstanding range of obstetric and gynecological capabilities** for efficient and effective care.



Samsung Ultrasound System HS50

## 5D NT™

(Nuchal translucency measurement)

With Samsung's 5D NT™, operator dependency can be reduced for the first trimester fetal nuchal translucency (NT) measurement. 5D NT™ allows the user to obtain the true mid-sagittal plane automatically by rotating and auto-zooming the image. This advanced technology is especially useful when facing difficult cases involving fetal position.

## 5D Follicle™

(Follicle measurement)

5D Follicle™ identifies and measures multiple ovarian follicles for rapid assessment of follicular size and status during gynecology examinations.

## Realistic Vue™


Realistic Vue™ displays high resolution 3D anatomy with exceptional detail and realistic depth perception. User selectable light source direction creates intricately graduated shadows for better defined anatomical structures.



Fetal face

## Hello Mom™

Hello Mom™ supports simple and secure transfer of fetal ultrasound images and clips wirelessly from the HS50 ultrasound system directly to an Android™ smartphone or iPhone application. These images can be shared easily with others.



Download the Hello Mom™ app on your smartphone.



※ Hello Mom™ is not an application for diagnosis.  
※ Google Play and the Google Play logo are trademarks of Google Inc.  
※ The Apple logo is a trademark of Apple Computer, Inc., registered in the U.S. and other countries.




# Superior imaging performance

2D imaging is fundamental to ultrasound exams. The HS50 uses Samsung's innovative imaging engine and single crystal transducers to deliver superior imaging.




## S-Vue™ transducers (CA1-7AD, CA2-9AD, CV1-8AD)

HS50 incorporates single crystal technology. Employing an innovative crystal design, S-Vue™ transducers provide more efficient piezoelectric properties, resulting in wider bandwidths that enable better penetration and higher quality resolution on even challenging patients.




## ClearVision

The noise reduction filter improves edge enhancement and creates sharper 2D images for optimal diagnostic performance. The integration of specialized Samsung technology results in a notable improvement in image quality. In addition, ClearVision provides application-specific optimization and advanced temporal resolution in live scan mode.



Fetal brain




ClearVision on

# Image gallery




Fetal face in 3D



Fetal abdomen with S-Flow™



Fetal heart




Umbilical cord with PW




1st trimester



Fetal abdomen



Fetal heart with PW



Fetal brain

# User-oriented features that streamline your workflow

A busy practice needs user-oriented features to manage routine obstetric and gynecological exams. Accurate and easy-to-use, HS50's comprehensive features enable greater throughput.




## Quick Preset

With one touch, the user can select the most common transducer and preset combinations. Quick Preset maximizes efficiency to make a full day of scanning simple and easy.



## Advanced QuickScan


Image optimization can be done simply with one touch of the QuickScan button. Samsung's advanced QuickScan technology provides intuitive optimization of both grayscale and Doppler parameters.



CCA

## EZ-Compare™


EZ-Compare™ allows easy access to previously taken exams to evaluate corresponding views in a side-by-side display. For greater efficiency, EZ-Compare™ automatically matches the image settings, annotations, and bodymarkers from the prior study.



Breast

## Measure Navigation

When placing a caliper, Measure Navigation automatically magnifies the area of interest using a picture-in-picture window to allow more precise placement of the calipers. This is especially useful when measuring small structures or when accuracy is critical.



1st trimester

## EZ-Exam+™

EZ-Exam+™ enables users to build or use predefined protocols. It transforms the ultrasound investigation into a streamlined process. EZ-Exam+™ ensures the full investigation is performed, eliminating the risk of forgetting an image or loop capture, as well as measurement and transducer preset changes.



EZ-Exam+™

# Designed for your convenience

A combination of a **comfortable environment** and a **streamlined user interface**, together with **design features** such as a large LED monitor and touchscreen, enable the clinician to focus on imaging while also reducing the stress of operating the HS50.

21.5"

## 21.5-inch full HD LED monitor

The HS50 features a 21.5-inch full HD LED monitor, delivering excellent contrast resolution, image clarity and vibrant color in any lighting condition.



10.1"

## 10.1-inch touchscreen

The 10.1-inch touchscreen is highly sensitive, allowing an efficient interaction during the examination.



## Gel warmer

For operator convenience, a gel warmer can be installed on both sides of the control panel.



## Solid State Drive (SSD)

The HS50 uses Samsung's advanced solid state drives. These stable and dependable drives allow faster boot-up, better frame rates, and fast processing speeds.




Printer Space



## Clever use of space

With its reduced weight and compact size, the HS50 takes up minimal space and can move freely. In addition, its streamlined rear profile allows you to park the HS50 in small spaces.



# Comprehensive selection of transducers

## Curved array transducers



**CA1-7AD**

- Application : abdomen, obstetrics, gynecology



**CA2-9AD**

- Application : abdomen, obstetrics, gynecology



**CF4-9**

- Application : pediatric, vascular

## Linear array transducers



**LA3-14AD**

- Application : small parts, vascular, musculoskeletal



**LA3-16A**

- Application : small parts, vascular, musculoskeletal

## Volume transducers



**CV1-8AD**

- Application : abdomen, obstetrics, gynecology



**V5-9**

- Application : obstetrics, gynecology

## Endo-cavity transducer



**ER4-9**

- Application : obstetrics, gynecology, urology

## Phased array transducers



**PE2-4**

- Application : abdomen, cardiac, vascular



**PA3-8B**

- Application : abdomen, cardiac, pediatric

## CW transducers



**CW6.0**

- Application : cardiac



**DP2B**

- Application : cardiac

\* Some of the transducers may not be available in some countries.